



D0724A



D1040A



D1244X

Item No.: X = Single  
A = 10 pack

**FRAMING & GENERAL PURPOSE BLADES**

- Diablo's thin kerf requires less power from your saw
- PermaShield™ permanent coating prevents gumming and corrosion

Item	Dia.	Teeth	Arbor	Kerf	Plate	Hook	Recommended Uses
D0724A	7 1/4"	24ATB	5/8"	.059	.040	15°	Rips and crosscuts on pressure-treated wood, plywood and laminate
D1040A	10"	40ATB	5/8"	.098	.071	15°	Rips and crosscuts on chip board, plywood and laminate
D1244X	12"	44ATB	1"	.098	.071	15°	Rips and crosscuts on chip board, plywood and laminate



D1024X



D1050X

**RIPPING & COMBINATION BLADES**

- Diablo's thin kerf requires less power from your saw
- PermaShield™ permanent coating prevents gumming and corrosion

Item	Dia.	Teeth	Arbor	Kerf	Plate	Hook	Recommended Uses
D1024X	10"	24ATB	5/8"	.098	.071	15°	Rips and crosscuts on pressure-treated wood and plywood
D1050X	10"	50ATB	5/8"	.098	.071	15°	Rips and crosscuts on chip board, plywood and laminate



D0740A



D0840X



D1060X



D1080X

**Finish Blades**

- Diablo's thin kerf requires less power from your saw
- PermaShield™ permanent coating prevents gumming and corrosion

Item	Dia.	Teeth	Arbor	Kerf	Plate	Hook	Recommended Uses
D0740A	7 1/4"	40ATB	5/8"	.059	.040	15°	Rips and crosscuts on pressure-treated wood, plywood and laminate
D0840X	8, 8 1/4"	40ATB	5/8"	.094	.063	15°	Rips and crosscuts on pressure-treated wood, plywood and laminate
D1060X	10"	60ATB	5/8"	.098	.071	15°	Rips and crosscuts on chip board, plywood and laminate
D1080X	10"	80ATB	5/8"	.098	.071	15°	Rips and crosscuts on chip board, veneer plywood and laminate
D1272X	12"	72ATB	1"	.118	.087	15°	Rips and crosscuts on chip board, plywood and laminate

**Don't see what you're looking for?**

We carry many other brands and products than those listed for each category. The products contained herein are merely a sampling of our best selling items. Our experienced representatives can help you find exactly what you're looking for, or, if we don't stock it, recommend an alternate solution!



**D0748F**



**D1296N**



**D1632X**

Item	Description	Dia.	Teeth	Arbor	Kerf	Plate	Hook	Recommended Uses
D0748F	Diablo™ Steel Demon Ferrous Metal Cutting Blade	7"	48TCG	5/8"	.103	.090	2°	Cutting steel studs, steel pipe, and steel sheet under 1/4"
D0848F	Diablo™ Steel Demon Ferrous Metal Cutting Blade	8"	48TCG	5/8"	.103	.090	2°	Cutting steel studs, steel pipe, and steel sheet under 1/4"
D1472F	Diablo™ Steel Demon Ferrous Metal Cutting Blade	14"	72TCG	1"	.114	.098	2°	Cutting steel studs, steel pipe, and steel sheet under 1/4"
D1080N	Diablo™ Non-Ferrous / Plastic Blade	10"	80TCG	5/8"	.098	.071	N/A	Cutting non-ferrous materials, plastics, vinyl and plexiglass
D1296N	Diablo™ Non-Ferrous / Plastic Blade	12"	96TCG	1"	.118	.087	N/A	Cutting non-ferrous materials, plastics, vinyl and plexiglass
D1040W	Diablo™ BIGFOOT® Beam Saw Blade	10 1/4"	40ATB	5/8"	.063	.039	18°	Rips and crosscuts on pressure treated wood and plywood
D1632X	Diablo™ Beam Saw Blades	16 5/16"	32ATB	1"	.114	.079	22°	Ideal for timber framing such as LVL, Glulams, and Paralams®
D1660X	Diablo™ Beam Saw Blades	16 5/16"	60ATB	1"	.114	.079	22°	Ideal for timber framing such as LVL, Glulams, and Paralams®

## HITACHI

### Hitachi 12" 60 Tooth Circular Saw Blade



#### FEATURES

- 12" Carbide blade for cutting wood
- 1" arbor, 60 tooth design
- Many other sizes available

**Item No. 726100**

12" 60T Circular Saw Blade

### Hitachi 7 1/4" 24T Combo Framing/ Ripping Blade



#### FEATURES

- Ideal for framing, ripping and cross cutting in all woods
- All-purpose blade for uses where ultra-smooth finish isn't necessary
- Many other sizes available

**Item No. 725212B10**

7 1/4" 24T Carbide Circular Saw Blade - 10 Pack

### Hitachi 7 1/4" PCD Hardi-Blade Circular Saw Blade



#### FEATURES

- Polycrystalline diamond tips provide longer life than other diamond blades
- 5/8" arbor with 4-tooth design for a dust reducing cut
- Designed to use in most 7 1/4" miter saws

**Item No. 18008B**

### Hitachi 10" PCD Hardi-Blade Circular Saw Blade



#### FEATURES

- Polycrystalline diamond tips provide longer life than other diamond blades
- 5/8" arbor with 6-tooth design for a dust reducing cut
- Designed to use in most 10" miter saws

**Item No. 18108**

### Hitachi 12" PCD Hardi-Blade Circular Saw Blade



#### FEATURES

- Polycrystalline diamond tips provide longer life than other diamond blades
- 1" arbor with 8-tooth design for a dust reducing cut
- Designed to use in most 12" miter saws

**Item No. 18109**

## Don't see what you're looking for?

We carry many other brands and products than those listed for each category. The products contained in this catalog are merely a sampling of our best selling items. Our experienced sales and customer service representatives can help you find exactly what you're looking for, or, if we don't stock it, recommend an alternate solution!



HITACHI

LENOX



## Irwin Classic 7¼" 24T Circular Saw Blade



### FEATURES

- The best value for an economy blade
- Corrosion resistant coating helps prevent rusting
- Precision ground teeth for smooth, accurate cuts

### Item No. 25130

7¼" 24T Classic Blade; ⅝" Arbor, 18° Hook angle

## Irwin Marathon® Miter/Table Saw Blades



### FEATURES

- #400 grit diamond ground teeth for a smooth finish
- Thin kerf for fast cuts
- Precision tensioned and balanced blade for an accurate cut
- Construction grade carbide teeth for long life

### Item No. 14050

8¼" 24T Blade; ⅝" Arbor, 20° Hook angle

### Item No. 14233

10" 24T Blade; ⅝" Arbor, 20° Hook angle

### Item No. 14070

10" 40T Blade; ⅝" Arbor, 20° Hook angle

### Item No. 14074

10" 60T Blade; ⅝" Arbor, 15° Hook angle

### Item No. 14083

12" 80T Blade; 1" Arbor, 5° Hook angle

### Item No. 14084

12" 100T Blade; 1" Arbor, 10° Hook angle

## Irwin Marathon 7¼" 24T Circular Saw Blade



### FEATURES

- Thin kerf for fast cuts
- Construction carbide teeth for longer life
- Specially engineered vents reduced heat build-up and warping

### Item No. 24030

7¼" 24T Marathon Blade; ⅝" Arbor

## Irwin Nail-Embedded Wood Cutting Recip Saw Blades



### FEATURES

- Cuts nail embedded wood, also great for roughing-in work
- Use with materials ⅝" (5mm) and thicker
- Also available in 6" and 12" sizes

### Item No. 372956P5

9" 6 TPI Wood Blade, 5 pack

### Item No. 372956B

9" 6 TPI Wood Blade, 25 pack

## Lenox Bi-Metal Recip Blades

### FEATURES

- Bi-metal blades bend and resist breaking
- TuffTooth™ design is reinforced to cut stronger



### Item No. BL-818R

8" x ⅜" x .35 Reciprocating Blade

### Item No. BL-810R

8" x ⅜" x .50 Reciprocating Blade

### Item No. BL-956R

9" x ⅜" x .50 Reciprocating Blade

### Item No. BL-156R

12" x ⅜" x .50 Reciprocating Blade

## Hitachi Bi-Metal Recip Blades



### FEATURES

- For cutting wood, nail embedded wood, plaster ¼" to 6"; Metal and nails ¼" to ⅝"; Aluminum to 5"
- Many other sizes available

### Item No. 725350

9" 6 TPI Taper Back Bi-Metal Reciprocating Blade

## Hitachi 9" Bi-Metal Reciprocating Saw Blade



### FEATURES

- Bi-Metal, tapered back, 6 TPI reciprocating saw blade
- Used for roughing and cutting nail embedded knotty wood

### Item No. 725313

9" Bi-Metal Reciprocating Saw Blade - 5 Pack

## Makita High Speed Steel Planer Blade

### FEATURES

- Made of fine grade steel
- Specially designed for fast and smooth planing
- Also available in 4⅜" and 6⅜" sizes



### Item No. MK-731001-4

3¼" Planer Blade for N1900B Planer, 2-pack

There are many other sizes, styles and types of Bits & Blades available from Mid-Atlantic Fasteners! Contact your local Mid-Atlantic Fasteners store for more information on the best choice to fit your application needs



### Freud Router Bits



Many other sizes available!

Item	Dia.	Type
26-104	1/2"	Panel Pilot Router
03-112	1/8"	Single Flute Straight Router
03-132	1/4"	Single Flute Straight Router
03-156	3/8"	Single Flute Straight Router
04-100	1/8"	Double Flute Straight Router
04-102	3/16"	Double Flute Straight Router
04-108	1/4"	Double Flute Straight Router
04-118	5/16"	Double Flute Straight Router

Item	Dia.	Type
04-120	3/8"	Double Flute Straight Router
04-124	3/8"	Double Flute Straight Router
04-136	5/8"	Double Flute Straight Router
04-140	3/4"	Double Flute Straight Router
12-116	1/2"	Double Flute Straight Router
12-128	1/2"	Double Flute Straight Router
12-136	5/8"	Double Flute Straight Router
12-194	1 3/4"	Double Flute Straight Router



### Irwin and Powers Carbide Spline Shank Bits




Many other sizes available!

- Item No. 324003**  
Irwin 1/2" x 6" Hammer Drill Bit
- Item No. DSS-126-P**  
Powers 1/2" x 7" Carbide Spline Bit
- Item No. DSS-1211-P**  
Powers 1/2" x 11" Carbide Spline Bit
- Item No. DSS-5811-P**  
Powers 5/8" x 11" Carbide Spline Bit

### Freud RTP1000 Portable Router Table System

#### FEATURES

- Ultimate portable router table features a sturdy folding stand for easy storage and portability
- Table top has a larger center opening to allow router removal from above the table and features standard 3/4" T-track for infinite adjustability
- Dual adjusting Freud SH-5 fence has Shaper/Joiner capabilities to be quickly adjusted or removed from the table for different tasks



Item No. RTP1000



See page 42 for more information on the Freud FT1700VCEK 2 1/4 HP Router that can be used with the RTP1000 Portable Router Table System

*Do you have questions? We have the answers to your tool and accessory questions - just give your local Mid-Atlantic Fasteners location a call and we will be happy to help!*

### Irwin and Powers SDS/SDS-Plus Carbide Bits



Many other sizes available!

- Item No. 322033**  
Irwin 1/2" x 10" SDS-Plus Hammer Drill Bit
- Item No. 1322**  
Powers 1/2" x 10" SDS-Plus Carbide Bit

### Irwin Miter Saw Laser Guide

#### FEATURES

- Retro-fit your miter saw into a laser guided power tool
- Projects a laser guide line for accurate cuts
- Easy to install
- Automatic on/off with saw blade rotation
- Extra long bolts included
- Batteries included: battery life 1.5 hours or 5,000 cuts



Item No. 3061001




Visit us online: [www.midatlanticfasteners.com](http://www.midatlanticfasteners.com)





DPD50-4



SG4SPL



TB4SPL



TL4D

### RESIN BONDED POLISHING PADS

- Specially formulated to polish marble and granite
- Velcro-backed for quick change
- Wet use only
- Also available in 3" and 5"

Item	Dia.	Grit
DPD50-4	4"	50
DPD100-4	4"	100
DPD200-4	4"	200
DPD400-4	4"	400
DPD800-4	4"	800
DPD1500-4	4"	1500
DPD3000-4	4"	3000

### SMALL SEGMENTED BLADES

- For dry cutting of general purpose cured concrete, masonry, and various stone aggregates

Item	Size	Series
SG4SPL	4" x .090 x 7/8"	Economy
SG7SPL	7" x .125 x 7/8"	Economy

### TURBO CONTINUOUS RIM BLADES

- For dry cutting of general purpose concrete, brick, tile, marble, granite, and other aggregates

Item	Size	Series
TB12P	12" x .125 x 1"	Premium
TB4.5SPL	4 1/2" x .090 x 7/8"	Economy
TB4SPL	4" x .090 x 7/8"	Economy
TB7SPL	7" x .100 x 5/8"	Economy

### TILE BLADES

- For smooth, chip-free cutting in dry conditions

Item	Size	Series
TL4.5SPL	4 1/2" x .060 x 5/8"	Economy
TL4D	4" x .060 x 5/8"	Standard

### HARDI PLANK CEMENT BLADE

- Cuts through Hardi Plank, as well as most masonry

Item	Size	Series
TB7PP	7"	Pro Fiber
TB10PP	10"	Pro Fiber



12SWTSEGM15



12DIYSEGPB12



12GACOMB012



12SHCOMB015

### BIG RED T LASER WELDED BLADES

- Provides highly aggressive cutting and long blade life
- Ideal for cured concrete, reinforced concrete, rebar in concrete, concrete pipe, rigid concrete pipe, and hard refractory brick

Item	Dia.	Thick	Seg. Ht.	Arbor
12SWTSEGM15	12"	.125	15mm	1-20mm
14SWTSEGM15	14"	.125	15mm	1-20mm

Item	Dia.	Thick	Seg. Ht.	Arbor
12DIYSEGPB12	12"	.125	12mm	1-20mm
14DIYSEGPB12	14"	.125	12mm	1-20mm

### TOUGH-CUT 12 GENERAL PURPOSE BLADES

- Low up-front cost, fast cutting speed and medium blade life
- Ideal for general purpose masonry, brick, block and light-duty cured concrete

### GRAPE APE REINFORCED CONCRETE BLADES

- Made with G.E. best 30/40 mesh MBS 960 grade diamonds
- Ideal for rugged and demanding jobs such as cutting through cured concrete and reinforced concrete with rebar

Item	Dia.	Thick	Seg. Ht.	Arbor
12GACOMB012	12"	.125	12mm	1-20mm
14GACOMB012	14"	.125	12mm	1-20mm



Item	Dia.	Thick	Seg. Ht.	Arbor
12SHCOMB015	12"	.125	12mm	1-20mm
14SHCOMB015	14"	.125	12mm	1-20mm

### Combo-Cut Signature 15

- Provides faster cuts and lasts twice as long as regular 7mm blades
- Core made from high-spun steel; highly tensioned for smooth, straight tracking
- Ideal for concrete, brick, block, masonry and other similar materials

### EURO TURBO BLADES

- Unique cold-pressed castellated rim to provide fast chip-free cutting

Item	Dia.	Thick	Seg. Ht.	Arbor
10DIYEURROTUBO10	10"	.095	10mm	7/8-5/8