

**HITACHI**

**MAX**

**Paslode**

**Hitachi N3804AB3  
Narrow Crown Finish Stapler**



**FEATURES**

- Drives 18 gauge ¼" narrow crown staples from ½" - 1½" long
- 2.4 lbs., lightweight and compact for easy use in tight spaces
- 360 degree adjustable exhaust, can be directed away from user in any direction
- High-capacity magazine, holds up to 130 staples

Item No. N3804AB3

**Hitachi N5008AC  
Medium Crown Sheathing Stapler**



**FEATURES**

- Drives 16 gauge ⅜" medium crown staples from 1" - 2" long
- 4.4 lbs., lightweight and well balanced for easy maneuverability
- Exhaust muffler reduces noise pollution
- Depth adjustment, to countersink or flush drive staples

Item No. N5008AC

**Hitachi N5024A  
Wide Crown Stapler**



**FEATURES**

- Drives 16 gauge 1" wide crown staples from 1" - 2"
- 4.4 lbs., lightest stapler in its class for easy maneuverability
- Cylinder valve firing mechanism provides a quick and powerful response
- Tool-less depth adjuster, to countersink or flush drive staples

Item No. N5024A

**Max TA551/16-11  
Medium Crown Stapler**



**FEATURES**

- Drives 16 gauge, ⅜" medium crown staples from 1" - 2"
- Rapid fire trigger valve drives 15 staples per second
- Maintenance free end cap filter
- New durable easy jam clearance (US Patent Pending)
- Adjustable depth control
- Lightweight, just 4.8 lbs.

Item No. TA551/16-11

**Paslode S200-S16  
Standard Crown Framing Stapler**



**FEATURES**

- Drives 16 gauge ½" standard crown staples from ¾" - 2" long
- Lightweight design decreases operator fatigue and increases productivity
- Quick-clear feature provides easy access to nose and reduces downtime
- Top load for fast, easy loading

Item No. S200-S16

**Paslode S150-W16R  
Wide Crown Roofing Stapler**



**FEATURES**

- Drives 16 gauge ⅝" wide crown staples from ⅝" - 1½" long
- Quick-clear feature provides easy access to nose
- Drives up to 12 staples per second
- Top load magazine loads easily, reducing fastener waste
- Shingle guide allows for accurate staple placement

Item No. S150-W16R

**Paslode S200-W16  
Wide Crown Lathing Stapler**



**FEATURES**

- Drives 16 gauge ⅝" wide crown staples from ¾" - 2" long
- Lightweight and well-balanced design reduces operator fatigue and increases productivity
- Quick-clear feature provides easy access to nose and reduces downtime

Item No. S200-W16

**Paslode 4150-W14  
Wide Crown Truss Stapler**



**FEATURES**

- Drives 14 gauge ⅝" wide crown staples from ⅝" - 2" long
- Maximum driving power for firing through truss plates
- 14 gauge wide crown staples for heavy duty industrial applications
- Excellent for light gauge steel to wood applications

Item No. 4150-W14



XM International



## Spotnails XC1016 Corrugated Stapler



### FEATURES

- Drives 1/4" - 5/8" corrugated staples
- Adjustable depth-of-drive
- 360-degree exhaust
- Restrictive trigger
- Bump fire optional
- Used for cabinet face framing, truss construction, furniture butt joints, stud-to-place connections, pallet repair and more

Item No. XC1016

## Spotnails XS1650 Wide Crown Stapler



### FEATURES

- Drives 16 gauge 1" crown staples from 1" - 2"
- Adjustable depth control
- Quick clear nose
- Easy maneuverability
- 360 degree exhaust
- Ergonomic rubber grip
- Available with restrictive trigger

Item No. XS1650

## Spotnails TCS6832 Crossfire Cap Stapler



### FEATURES

- Drives 18 gauge 7/16" crown staples from 5/8" - 1 1/2" in tandem with plastic caps
- Lightweight durable design for added comfort, longer tool life
- Excellent for house wrap, roofing felt, and foam board

Item No. TCS6832

## XM International XL376 Tap-Cap Stapler



### FEATURES

- Drives 1" and 1 1/4" staples; cap diameter 1"
- Magazine capacity: 100
- Kit includes stapler, box of 1000 staples/caps, safety glasses and protective carrying case

Item No. XL376

## GreX G5418E Upholstery Stapler



### FEATURES

- Drives 20 gauge 3/16" crown staples similar to Duo-Fast's 5400 series
- Powerful motor designed to penetrate through the hardest materials
- Avoids the need for bulky compressor units
- Features a wide range of applications including carpet laying, rug and protective padding

Item No. G5418E

## Primatech P260 Pneumatic Stapler



### FEATURES

- Drives 15 1/2 gauge, 1/2" crown staples, in 1 1/2", 3/4" or 2" lengths
- For all types of hardwood flooring, from 3/4" to 39/32"; 1/2" to 5/8"
- Advanced compact firing valve optimizes job efficiency by getting the installer 4 1/2" closer to the end wall - up to two additional boards closer
- Extra large head cap - mallet strike can be from any angle

Item No. P260

## Open Houses...

Please check with your local store for the dates and times of the Open House in your area. This is a great time to take advantage of special pricing and visit with the many factory representatives on hand at the Open House. Food and drinks are available, too!



## Primatech Trak-Edge



### FEATURES

- TRAK-EDGE sets the hardwood flooring tool at a perfect position and moves the nailer guide plates away from the delicate top edge
- High impact composite base for superior glide and stability
- Short front overhang allows for closer racking
- Mounts on Primatech H300 & H330 manual nailers, P210 & P240 pneumatic nailers and P220 & P260 pneumatic staplers

Item No. A-001 for standard 3/4" flooring

Ask your sales rep about the warranties on our tools

## Duo-Fast HT550 Classic Hammer Tacker



### FEATURES

- Drives 20 gauge ½" crown staples from ½" to ¾" long
- Rear loading magazine
- Two-strip capacity
- Quick clear jam clearing
- For use on carpet padding, insulation, roof paper, and vapor wrap

Item No. HT550

## Duo-Fast SureShot™ 1832 and 1848 Narrow Crown Staplers



### FEATURES

- SureShot 1832 drives 18 gauge ¼" crown staples from ¾" to 1" long
- SureShot 1848 drives 18 gauge ¼" crown staples from ½" to 1½" long
- Light and compact for easy stapling in tight quarters
- For use on cabinets, case manufacturing, floor and window plants, furniture, lattice, and millwork

Item No. SureShot 1832 and SureShot 1848

## Duo-Fast SureShot™ 5020 Wide Crown Stapler



### FEATURES

- Drives 18 gauge ½" wide crown fine wire staples from ½" - ¾"
- Compact; designed for easy maneuverability in small places
- Bottom loading magazine
- Lightweight (1 lb. 9 oz.) for easy handling

Item No. SureShot 5020

## Duo-Fast SureShot™ 5020 DLAF Double Length Wide Crown Stapler



### FEATURES

- Drives 20 gauge ½" wide crown fine wire staples from ¾" - ¾"
- Double length, bottom load magazine for fewer reloads
- Auto fire trigger
- Lightweight (2 lbs. 10 oz.) for easy handling

Item No. SureShot 5020 DLAF

## Duo-Fast SW-1748 Wide Crown Stapler



### FEATURES

- Drives 16 gauge, 1½" wide crown staples from ½" - 1½"
- Rubber comfort grip
- Side loading magazine
- Lightweight, just 4 lbs. 13 oz.

Item No. SW-1748

## Duo-Fast SM-7664 Wide Crown Stapler



### FEATURES

- Drives 16 gauge, ¾" wide crown staples from 1" - 2"
- Quick clear nose
- Top loading magazine
- Lightweight, just 4 lbs. 10 oz.

Item No. SM-7664

## Duo-Fast 501690 Hardwood Flooring Stapler



### FEATURES

- Drives 15 gauge ½" crown staples from ¾" to 2" in length
- Industrial grade design offers greater reliability for years of use
- Comes complete with a rugged plastic carrying case, rubber mallet, and additional shoe for installing ½" flooring
- Excellent tool for installing ½" and ¾" hardwood flooring.

Item No. 501690

## Duo-Fast ENC-5418A Fine Wire Electric Carpet Stapler



### FEATURES

- Drives 20 gauge ¾" crown staples from ¾" to ¾" in length
- Fine wire carpet stapler
- Great for use in carpet laying and upholstery
- Lightweight: just 4 lbs. 2 oz.

Item No. ENC-5418A



Ask your sales rep about the warranties on our tools

## SNS44XP Medium Crown Construction Stapler



### FEATURES

- Drives 16 gauge  $\frac{7}{16}$ " crown staples from 1" - 2" long
- Adjustable depth of drive
- Over-mold comfort grip
- 360 degree adjustable exhaust
- Magnesium housing
- Tool oil required
- EZ-Clear™ jam clearing

Item No. SNS44XP

## SNS45XP Medium Crown Construction Stapler



### FEATURES

- Drives 16 gauge  $\frac{7}{16}$ " crown staples from 1" - 2" long
- Adjustable depth-of-drive
- Tool-less 360° adjustable exhaust
- Available with restrictive trigger or dual action firing mechanism
- Designed with 30% fewer parts than the competition

Item No. SNS45XP

## SNS41 Medium Crown Construction Stapler



### FEATURES

- Drives 16 gauge  $\frac{7}{16}$ " crown staples from 1" - 2" long
- Open nose design, for easy extraction of a jammed nail
- Fast, multi-directional stitching is a major benefit in applications like ridge beams and all types of sheathing
- Adjustable Depth of Drive

Item No. SNS41

## SQS55 Medium Crown Construction Stapler



### FEATURES

- Drives 15 gauge  $\frac{7}{16}$ " crown staples from 1 $\frac{1}{4}$ " - 2 $\frac{1}{2}$ " long
- Amazing power and speed
- Rugged dependability
- All the features you want, including adjustable power for softer drives

Item No. SQS55

## SKS 16/18 Gauge Medium Wire Stapler



### FEATURES

- Three series of models drive 16 or 18 gauge,  $\frac{1}{4}$ ",  $\frac{3}{8}$ ", or  $\frac{7}{16}$ " crown staples from  $\frac{3}{8}$ " - 1 $\frac{1}{2}$ " long
- NeverLube® technology means no lubrication required
- Designed with only two moving O-rings for greater reliability
- EZ-Load and EZ-Clear™ means less time is spent freeing jams and reloading

Item No. SKS L

Drives Narrow Crown  $\frac{1}{4}$ " L12 - L17  
18 Gauge Medium Wire Staples

Item No. SKS N

Drives Medium Crown  $\frac{3}{8}$ " N12 - N17  
16 Gauge Heavy Wire Staples

## SLS18 18 Gauge Medium Wire Stapler



### FEATURES

- Drives galvanized 18 gauge  $\frac{1}{4}$ " crown staples from  $\frac{1}{2}$ " - 1 $\frac{1}{2}$ " long
- Adjustable depth-of-drive
- Rear exhaust keeps oil and dust away from the work surface
- Available with restrictive trigger or dual action firing mechanism
- Includes case, fitting, oil and hex wrench

Item No. SLS18

Don't see what  
you're looking for?

We carry many other brands and products than those listed for each category. The products contained in this catalog are merely a sampling of our best selling items. Our experienced representatives can help you find exactly what you're looking for, or, if we don't stock it, recommend an alternate solution!



Fasteners for these tools are shown on page 25

## SLS20-L 18 Gauge Medium Wire Narrow Crown Stapler



### FEATURES

- Drives 18 gauge, 1/4" crown staples from 3/8" - 1 1/2" long
- Lightweight (2.5 lbs.) and easy to handle with ergonomic design and soft grip
- Adjustable depth of drive control for the precise countersink
- Three other models are available to shoot 3/8" - 1 1/2" staples

Item No. SLS20-L

## SLS25XP 18 Gauge Medium Wire Finish Stapler



### FEATURES

- L drives 18 gauge 1/4" crown staples, from 3/8" - 1 1/2" long; M drives 18 gauge 3/8" crown staples, from 3/8" - 1 1/2" long
- Adjustable depth-of-drive for precise staple setting
- Heavy-duty components mean rugged durability even in high volume production environments
- Power to drive fasteners up to 1 1/2" into hardwood applications

Item No. SLS25XP L  
Item No. SLS25XP M

18 Gauge Finish Stapler, 1/4" crown  
18 Gauge Finish Stapler, 3/8" crown

## SLS20HF Hardwood Flooring Stapler



### FEATURES

- Drives 19 gauge R series staples, 3/16" crown, 1" length
- Precise: drives staples at 45° angle every time
- Lightweight: easy to handle at 3.2 lbs.
- NeverLube® technology means no lubrication required
- Front block adjusts for different floor thicknesses and tongue locations with no tools required

Item No. SLS20HF

## PW150/PW150R 16 Gauge Wide Crown Stapler



### FEATURES

- Drives 16 gauge, 1" crown staples from 3/4" - 1 1/2" depending on model
- Adjustable depth of drive
- Stretch comfort grip
- EZ-Clear™ jam clearing
- 360 degree adjustable exhaust
- Over-molded trigger

Item No. PW150  
Item No. PW150R

Drives 1" - 1 1/2" staples  
Roofing model, drives 3/4" - 1 1/2"

## SFW10XP Fine Wire 22 Gauge Upholstery Stapler



### FEATURES

- Drives fine wire 3/16", 1/8", or 1/2" crown staples from 3/16" - 3/8" long
- Full 1" lip length makes getting into tight spots easier
- Rounded steel cap won't harm fabric
- Rear exhaust keeps oil off fabric

Item No. SFW10XP A/D  
Item No. SFW10XP C  
Item No. SFW10XP F

Drives 3/16" - 1/2" staples, 3/16" crown  
Drives 3/8" - 3/8" staples, 3/8" crown  
Drives 1/4" - 1/2" staples, 1/2" crown

## SC1 Senclamp / SC2 Sencor Stapler



### FEATURES

- SC1 drives 3/16" crown, 25 gauge Senclamp staples, 3/16" - 3/16" length
- SC2 drives 1" crown, 25 gauge Sencor corrugated fasteners in 1/4" - 1/2" lengths
- Senclamp® fasteners pull the joint together during driving for a tight, permanent fit
- Sencor corrugated fasteners provide twice the strength of ordinary fasteners
- Eliminate milling, doweling, clamping, screwing and other time-consuming, costly operations

Item No. SC1  
Item No. SC2

Senclamp Framing Stapler  
Sencor Corrugated Framing Stapler



We repair ALL the equipment we sell.

Our branch and service center employees are trained to maintain and repair ALL the tools and equipment we sell: gas and electric compressors, pneumatic, high pressure and cordless nailers and staplers, electric and cordless power tools, and generators. And we can often fix competitive tools and equipment as well!



# Comparison Chart: Staplers



## Staplers

	Catalog Page	Weight	Size (Height x Length)	Staple Type	Staple Range	Capacity
<b>PNEUMATIC</b>						
<b>NARROW CROWN</b>						
■ Duo-Fast 1832	19	2.6 lbs.	8" x 8 $\frac{1}{2}$ "	18 Gauge, $\frac{1}{4}$ " Crown	$\frac{1}{16}$ " - 1"	90
■ Duo-Fast 1848	19	4.0 lbs.	9 $\frac{3}{4}$ " x 13 $\frac{1}{4}$ "	18 Gauge, $\frac{1}{4}$ " Crown	$\frac{1}{2}$ " - 1 $\frac{1}{2}$ "	180
■ Hitachi N3804AB3 (Finish)	17	2.3 lbs.	9 $\frac{1}{4}$ " x 10 $\frac{1}{32}$ "	18 Gauge, $\frac{1}{4}$ " Crown	$\frac{1}{2}$ " - 1 $\frac{1}{2}$ "	130
■ Senco SKS L	20	4.2 lbs.	9 $\frac{3}{8}$ " x 12 $\frac{3}{8}$ "	16 - 18 Gauge, $\frac{1}{4}$ " Crown, Medium Wire	$\frac{1}{8}$ " - 1 $\frac{1}{2}$ "	145 - 158
■ Senco SKS N	20	4.2 lbs.	9 $\frac{3}{8}$ " x 12 $\frac{3}{8}$ "	16 - 18 Gauge, $\frac{1}{16}$ " Crown, Medium Wire	$\frac{1}{8}$ " - 1 $\frac{1}{2}$ "	145 - 158
■ Senco SLS18	20	2.9 lbs.	9" x 10"	18 Gauge, $\frac{1}{4}$ " Crown, Medium Wire	$\frac{1}{2}$ " - 1 $\frac{1}{2}$ "	168
■ Senco SLS20 L	21	2.5 lbs.	8 $\frac{1}{2}$ " x 12"	18 and 19 Gauge, $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{3}{8}$ " Crown, Medium Wire	$\frac{3}{8}$ " - 1 $\frac{1}{2}$ "	168
■ Senco SLS25XP L (Finish)	21	2.7 lbs.	9" x 12"	18 Gauge, $\frac{1}{4}$ " Crown, Medium Wire	$\frac{3}{8}$ " - 1 $\frac{1}{2}$ "	110-185
■ Senco SLS25XP M (Finish)	21	2.7 lbs.	9" x 12"	18 Gauge, $\frac{3}{8}$ " Crown, Medium Wire	$\frac{3}{8}$ " - 1 $\frac{1}{2}$ "	110-185
<b>MEDIUM CROWN</b>						
■ Hitachi N5008AC (Sheathing)	17	4.4 lbs.	10" x 14 $\frac{1}{2}$ "	16 Gauge, $\frac{1}{16}$ " Crown	1" - 2"	130
■ Max TA551/16-11	17	4.8 lbs.	11 $\frac{1}{4}$ " x 13 $\frac{3}{8}$ "	16 Gauge, $\frac{1}{16}$ " Crown	1" - 2"	157
■ Paslode S200-S16 (Framing)	17	4.9 lbs.	10 $\frac{3}{4}$ " Height	16 Gauge, $\frac{1}{2}$ " Standard Crown	$\frac{3}{4}$ " - 2"	150
■ Senco SFW10XP-A/D	21	2 lbs.	5 $\frac{1}{16}$ " x 8 $\frac{1}{2}$ "	$\frac{3}{16}$ " Crown, Fine Wire	$\frac{3}{16}$ " - $\frac{1}{2}$ "	110-185
■ Senco SFW10XP-C (Upholstery)	21	2 lbs.	5 $\frac{1}{16}$ " x 8 $\frac{1}{2}$ "	$\frac{3}{8}$ " Crown, Fine Wire	$\frac{3}{8}$ " - $\frac{5}{8}$ "	110-185
■ Senco SFW10XP-F (Upholstery)	21	2 lbs.	5 $\frac{1}{16}$ " x 8 $\frac{1}{2}$ "	$\frac{1}{2}$ " Crown, Fine Wire	$\frac{1}{4}$ " - $\frac{1}{2}$ "	110-185
■ Senco SNS41 (Construction)	20	4.6 lbs.	11" x 14"	16 Gauge, $\frac{1}{16}$ " Crown, Heavy Wire	1" - 2"	160+
■ Senco SNS44XP (Construction)	20	4.4 lbs.	11" x 14"	16 Gauge, $\frac{1}{16}$ " Crown, Heavy Wire	1" - 2"	160
■ Senco SNS45XP (Construction)	20	5.1 lbs.	11" x 14"	16 Gauge, $\frac{1}{16}$ " Crown, Heavy Wire	1" - 2"	160
■ Senco SQS55 (Construction)	20	5.9 lbs.	12" x 14 $\frac{1}{2}$ "	15 Gauge, $\frac{1}{16}$ " Crown, Heavy Wire	1 $\frac{1}{4}$ " - 2 $\frac{1}{2}$ "	130
<b>WIDE CROWN</b>						
■ Duo-Fast SM-7664	19	4.6 lbs.	10.9" x 13.9"	16 Gauge, $\frac{1}{16}$ " Crown	1" - 2"	134
■ Duo-Fast Sure Shot 5020	19	1.5 lbs.	5 $\frac{13}{16}$ " x 8 $\frac{1}{2}$ "	20 Gauge, $\frac{1}{2}$ " Crown	$\frac{5}{32}$ " - $\frac{3}{16}$ "	84
■ Duo-Fast Sure Shot 5020 DLAF	19	2.6 lbs.	5 $\frac{13}{16}$ " x 13 $\frac{3}{4}$ "	20 Gauge, $\frac{1}{2}$ " Crown (Double Length Magazine)	$\frac{3}{16}$ " - $\frac{3}{16}$ "	200
■ Duo-Fast SW-1748	19	4.8 lbs.	9 $\frac{3}{8}$ " x 13 $\frac{3}{16}$ "	16 Gauge, $\frac{1}{16}$ " Crown	$\frac{1}{2}$ " - 1 $\frac{1}{2}$ "	126
■ Hitachi N5024A	17	4.4 lbs.	9 $\frac{1}{8}$ " x 14 $\frac{1}{8}$ "	16 Gauge, 1" Crown	1" - 2"	150
■ Paslode 4150-W14 (Truss)	17	7.8 lbs.	12 $\frac{1}{2}$ " x 14"	14 Gauge, $\frac{1}{16}$ " Crown	$\frac{1}{8}$ " - 2"	75
■ Paslode S150-W16R (Roofing)	17	4.9 lbs.	9 $\frac{1}{2}$ " Height	16 Gauge, $\frac{1}{16}$ " Crown	$\frac{5}{8}$ " - 1 $\frac{1}{2}$ "	150
■ Paslode S200-W16 (Lathing)	17	4.9 lbs.	9 $\frac{1}{2}$ " Height	16 Gauge, $\frac{1}{16}$ " Crown	$\frac{3}{4}$ " - 2"	150
■ Spotnails XS1650	18	5.2 lbs.	9 $\frac{3}{4}$ " x 14"	16 Gauge, 1" Crown	1" - 2"	150
■ Senco PW150	21	4.6 lbs.	8 $\frac{3}{4}$ " x 14 $\frac{1}{2}$ "	16 Gauge, 1" Crown	1" - 1 $\frac{1}{2}$ "	150
■ Senco PW150R (Roofing)	21	5.2 lbs.	8 $\frac{3}{4}$ " x 14 $\frac{1}{2}$ "	16 Gauge, 1" Crown	$\frac{3}{8}$ " - 1 $\frac{1}{2}$ "	140+

There are many other tool models available from Mid-Atlantic Fasteners, LLC - please ask your account manager for more information on the tools that fit your application needs.

The specifications shown in the comparison charts were sourced from manufacturer websites and catalogs.

The tool specifications are subject to change as tool modifications are made.

Please refer to the tool manufacturer's website for the most up-to-date tool and fastener specifications.



Visit us online: [www.midatlanticfasteners.com](http://www.midatlanticfasteners.com)

