

# HITACHI

## C7BD2 / C7SB2 7<sup>1</sup>/<sub>4</sub>" 15 Amp Circular Saw



### FEATURES

- Bevel capacity from 0-55 degrees, adjustable lever stops at 0, 45 and 55 degrees presenting a wide range of beveling applications
- Heavy-duty die-cast aluminum alloy, one-piece base
- 15 amps, weighs 10.1 lbs.
- C7BD2 version adds the electric brake feature, halting the rotation of the blade within seconds preventing unintended cuts

Item No. C7BD2

Item No. C7SB2

## C8 8<sup>1</sup>/<sub>4</sub>" 13 Amp Circular Saw



### FEATURES

- 13 amp motor; power for tough cutting jobs on varied material
- Notched shoe, highly visible sight lines at 45 and 90 degrees for duplicate precision cuts
- Bevel gauge and shoe, cast as one piece to ensure straight cuts over the life of the tool
- Depth of cut: 2<sup>1</sup>/<sub>4</sub>" at 45°, 2<sup>5</sup>/<sub>16</sub>" at 90°
- 13 amps, weighs 11 lbs.

Item No. C8

## C10FSH 10" Sliding Dual Compound Miter Saw with Laser Marker



### FEATURES

- 57° miter angle to the right; 45° miter angle to the left
- 45° bevel angle range, to the right and left allowing users to quickly and easily flip the saw blade and leave the material in place
- Positive stops on miter and bevel scale, for easy to read measurements and quick settings
- 12 amps, weighs 43 lbs.

Item No. C10FSH

## C12LSH 12" Sliding Dual Compound Miter Saw with LCD Display and Laser Marker



### FEATURES

- 57° miter angle to the right; 46° miter angle to the left
- 45° bevel angle range, to the right and left allowing users to quickly and easily flip the saw blade and leave the material in place
- Top-mounted, digital LCD scale swivels to provide clear and accurate miter and bevel readings
- 15 amps, weighs 66.1 lbs.

Item No. C12LSH

## CJ120V Electronic Variable Speed, Orbital Jig Saw



### FEATURES

- 4-stage orbital action, powers through a wider range of materials
- Stroke length of 1", ideal for any woodworking applications
- Electronic speed control dial, for optimized speed per job
- Blade changing system, requiring no tools for quick and easy replacement
- 5.8 amps

Item No. CJ120V

## CR13VA 1<sup>1</sup>/<sub>4</sub>" Reciprocating Saw with Electronic Variable Speed



### FEATURES

- Stroke length of 1<sup>1</sup>/<sub>4</sub>" at 0-2800 rpm, for rapid cutting performance
- Reversible blade, mountable up or down for varied cutting methods
- 1<sup>1</sup>/<sub>4</sub>" keyless adjustable pivot foot, regulates depth of cut
- Dust and water resistant triple sealed construction protects and increases tool performance
- 11 amps ■ Weighs 8.8 lbs.

Item No. CR13VA

## DH24PB3 1<sup>5</sup>/<sub>16</sub>" SDS-Plus Rotary Hammer



### FEATURES

- 7.0 amp motor with 800 watts of input power, combines powerful hammering and high-speed drilling
- 2.5 ft./lbs. of impact energy, best in class for high-speed drilling
- 2 modes of operation, hammer & drill and drill only for flexibility within a range of applications
- Capacity: steel 1<sup>1</sup>/<sub>2</sub>"; wood 1<sup>1</sup>/<sub>4</sub>"; core bit 2"
- 7.0 amps ■ Weighs 5.3 lbs.

Item No. DH24PB3

## DH38YE 1<sup>1</sup>/<sub>2</sub>" Rotary Hammer, 2 Mode



### FEATURES

- 5.2 ft./lbs. of impact energy, delivering high-speed drilling and forcible chipping
- 2 modes of operation, hammer & drill and hammer only for flexibility within a range of applications
- Auto-stop carbon brush system, replaceable to prolong tool life and protect armature
- Capacity: drill bit 1<sup>1</sup>/<sub>2</sub>"; core bit 4<sup>1</sup>/<sub>8</sub>"
- 8 amps ■ Weighs 17.0 lbs.

Item No. DH38YE

HITACHI

## DH40MR 1<sup>9</sup>/<sub>16</sub>" SDS Max Shank Rotary Hammer, 2-Mode



### FEATURES

- 7.4 ft./lbs. of impact energy, delivering high-speed drilling and forcible chipping
- 2 modes of operation: hammer and drill or hammer only for flexibility within a range of applications
- Fastest drilling speed in its class with low vibration and noise level
- Capacity: drill bit 1<sup>9</sup>/<sub>16</sub>" core bit 4<sup>1</sup>/<sub>2</sub>"
- 9.2 amps ■ Weighs 14.3 lbs.

Item No. DH40MR

## DS18DVF3 18V 1/2" Driver Drill with Flashlight



### FEATURES

- Two-piece magnet motor produces 400 in./lbs. of torque to power through the toughest jobs
- Two-speed transmission controlled by a one-touch speed knob, allows a choice of 0-400 or 0-1,200 RPM
- 1.4 Ah batteries allow for longer run time and fewer battery charges
- Compact size and lightweight design (4.4 lbs.)

Item No. DS18DVF3

## WR16SA 1/2" Impact Wrench



### FEATURES

- Class leading torque- 3,190 in./lbs. for maximum power
- Forward-reverse rocker switch to quickly change fastening direction
- Covered in soft, yet durable elastomer for improved durability and a non-slip grip
- Powerful 4.2 Amp, 480 W motor to handle stubborn fasteners
- Compact and lightweight at only 10.15 inches in length and 6.2 lbs.

Item No. WR16SA

## WH12DMR 12V Cordless Impact Driver



### FEATURES

- Class leading torque- 1,150 in./lbs. for the toughest applications
- Electronic feedback power control allows for equal torque and rpm in both forward and reverse
- High performance, fan cooled, 2-piece motor
- Non-slip elastomer grip handle
- Includes 2 high capacity batteries, charger and carrying case

Item No. WH12DMR

## DN12DYK 12V 3/8" Right Angle Drill



### FEATURES

- 3<sup>3</sup>/<sub>4</sub>" head, low profile for easy access in tight spaces
- High performance, fan cooled motor for optimal performance
- 3<sup>8</sup>/<sub>16</sub>" keyless chuck with ratcheting lock mechanism
- Uses either a 12-Volt or 9.6-Volt battery adding flexibility
- 3.1 lbs., lightweight and compact for greater ease of use

Item No. DN12DYK

## M12VC 2 1/4 HP Variable Speed Fixed-Base Router



### FEATURES

- 2<sup>1</sup>/<sub>4</sub> horsepower motor for precise, controlled cuts
- 2-stage motor release clamp, for quick and accurate depth adjustments and base changes
- Class leading noise level, only 79.5dB for a quieter workshop
- 11 amps ■ Weighs 7.3 lbs.

Item No. M12VC

## KC18DAL 18 Volt Lithium Ion 3-Piece Combo Kit



### KIT INCLUDES

- DV18DL 18V hammer drill with a class leading 570 in./lbs. of torque to power through the toughest jobs
- CR18DL heavy-duty 18V reciprocating saw that features a tool-less blade change system
- Lantern featuring two modes of operation (fluorescent or LED)
- Universal Charger that charges 7.2 -18V Lithium Ion, NiMH and NiCd batteries

Item No. KC18DAL

## KC18DBL 18 Volt Lithium Ion 4-piece Combo Kit



### KIT INCLUDES

- DV18DL 18V hammer drill with a class leading 570 in./lbs. of torque to power through the toughest jobs
- CR18DL heavy-duty 18V reciprocating saw that features a tool-less blade change system
- C18DL heavy-duty 18V 6<sup>1</sup>/<sub>2</sub>" circular saw featuring a left mounted blade
- Lantern featuring two modes of operation (fluorescent or LED)
- Universal Charger for 7.2 -18V Lithium Ion, NiMH and NiCd batteries

Item No. KC18DBL



### 5007FK 7 1/4" Circular Saw with L.E.D. Light



#### FEATURES

- On board L.E.D. light illuminates the line of cut
- Bevel cuts 0-45° with a 45° cutting capacity of 1 3/4"
- Flat motor housing design increases stability when changing blades
- Powerful 15 amp motor for a high power-to-weight ratio
- 15 amps, 5800 RPM
- Weighs 10.6 lbs.

Item No. 5007FK

### 5007NHK 7 1/4" Blade-On-Right Circular Saw



#### FEATURES

- Bevels cuts up to 50° with a positive stop at 45°
- Lightweight yet rugged magnesium alloy blade, case and cover
- Flat design motor housing for easy blade changes
- Powerful 15 amp motor for a high power-to-weight ratio
- 15 amps, 5800 RPM
- Weighs 10.1 lbs.

Item No. 5007NHK

### 5402NA 16 5/16" Circular Saw, Electric Brake



#### FEATURES

- Large capacity blade cuts 6 1/4" at 90° and 4 3/16" at 45°
- Blade stabilizer for stable blade rotation and superior cutting performance
- Large depth control lever for convenience and secure adjustments
- Low noise level at only 87dB for quiet operation
- 115 volts, 15 amps, 2200 RPM
- Weighs 28.7 lbs.

Item No. 5402NA

### 5008NB 8 1/4" Circular Saw



#### FEATURES

- Cuts 2 1/4" at a 45° bevel; 2 3/8" at 90°
- Heavy duty 13 AMP motor for continuous use and maximum production
- Well balanced with handle designed for better control from above or behind the saw
- Shaft lock for fast blade replacement
- 13 amps, 5200 RPM
- Weighs 11.7 lbs.

Item No. 5008NB

### 5007MG Magnesium Circular Saw



#### FEATURES

- Large cutting capacity (2 1/2" at 90°) and bevel capacity (0 - 56°) with positive stops at 22.5° and 45°
- Magnesium components create a lightweight saw (10.1 lbs.) that is well-balanced and jobsite tough
- Built-in dust blower
- 120 volts, 15 amps, 2300 RPM

Item No. 5007MG  
Also Available: 5007MGA

Magnesium Circular Saw  
Magnesium Circular Saw w/ LED Lights

### 2107FK Portable Band Saw Kit



#### KIT INCLUDES

- Powerful 6.5 amp motor delivers 200 - 350 ft./min. for cutting in a wide variety of materials
- Large 4 1/2" x 4 1/2" cutting capacity
- Dual bearing blade guides and adjustable stopper plate
- Variable speed dial for setting maximum cutting speed
- Blade tightening lever for fast and easy blade installation
- Accepts standard 44 1/2" x 1/2" blade

Item No. 2107FK

### 2703 10" Table Saw With Electric Brake



#### FEATURES

- Portable - only 40 lbs. for easy transporting to the job site
- Large 27" x 22" table
- Positive stops at 90° and 45°
- Rips 4x material on a single pass
- Dead-on cam locking rip fence
- Large handle for quick and accurate depth setting
- Precise rack and pinion bevel adjustment
- 15 amps, 4600 RPM

Item No. 2703

### Makita Table Saw Accessories



#### USE WITH MODELS 2702, 2703

- Basic Unit (27" rip capacity) **122731-A**
- Outfeed Table (Supports Stock) **122720**
- Extension Table (49" rip capacity) **122732-A**
- Table Saw Stand **193920-6**
- Dado Head Set **191543-4**
- Dado Flange Set **192693-8**
- Dado Head Insert **317061-6**
- Push Stick **416772-1**
- Push Block **155508-0**
- Miter Gauge **122555-6**



## JR3070CT Variable Speed Recipro Saw

### FEATURES



- Long 1 $\frac{1}{4}$ " stroke for faster cutting
- Powerful 15 amp motor with electronic speed control maintains constant speed under load
- 4-position orbital/straight cutting action
- Variable speed dial for presetting maximum speed
- Tool-less blade change and shoe adjustment
- Weighs 9.7 lbs.

Item No. JR3070CT

## HR2455 Rotary Hammer with D-Handle

### FEATURES



- 2 times faster drilling with synchronized RPM and BPM
- Powerful 7.0 amp motor and lightweight at 6.2 lbs.
- 3-mode operation: rotation only, hammering with rotation or hammering only
- Variable speed for complete drilling and hammering control
- Chisel rotates 360° with 40 different locking positions

Item No. HR2455

## 5377MG Magnesium Hypoid Saw

### FEATURES



- Large cutting capacity (2 $\frac{3}{8}$ " at 90°) and bevel capacity (0 - 51.5°) with positive stops at 22.5° and 45°
- Magnesium components create a lightweight saw (13.0 lbs.) that is well-balanced and jobsite tough
- Heat treated hypoid steel gears last longer than traditional bronze-alloy worm drive gears
- 120 volts, 15 amps, 4500 RPM

Item No. 5377MG

## 5277NB 7 $\frac{1}{4}$ " Hypoid Saw

### FEATURES



- Depth of cut: 1 $\frac{1}{4}$ " at 45°, 1 $\frac{1}{8}$ " at 50°, 2 $\frac{3}{8}$ " at 90°
- High quality, heat treated hypoid steel gears do not prematurely wear like traditional bronze-alloy worm drive gear
- Blade-left design improves visibility and provides a clear view of the cut line for accuracy
- 15 amps, 115 volts, 4300 RPM
- Weighs 15 lbs.

Item No. 5277NB

## 6013BR 1/2" Spade Handle Reversible Drill

### FEATURES



- Rocker type switch for easy one-handed forward or reverse operation
- D-handle rotates 360° for multi-position operation
- Heavy duty industrial 1/2" drill chuck for positive bit retention and accurate drilling
- Capacity: steel 1/2"; wood 1 $\frac{1}{8}$ "
- 115 volts, 15 amps, 550 RPM
- Weighs 6.2 lbs.

Item No. 6013BR

## 6935FDWDE 14.4V Cordless Impact Driver

### FEATURES



- Powerful efficient impacting 103.3 ft./lbs. (1,240 in./lbs.) for industrial applications
- Powerful (2.6Ah) Ni-MH batteries have greater capacity and longer run time than any Ni-Cd battery
- Built-in high output LED light illuminates work surface for increased visibility
- Capacity: 1/4" bit shank
- Weighs 3.7 lbs.

Item No. 6935FDWDE

## N1900B 3 $\frac{1}{4}$ " Planer Kit

### FEATURES



- Planing width/depth: 3 $\frac{1}{4}$ " x 1/2"
- Centerline balance with front and rear grips positioned for better control; helps eliminate gouging and uneven planing
- Simple blade setting system for fast blade installation
- Lock-on button for continuous operation
- 4 amps, 15000 RPM
- Weighs 5.5 lbs.

Item No. N1900B

## 2012NB 12" Planer With Interna-Lok™

### FEATURES



- Planing width/depth: 12" x 1/2"
- Interna-Lok™ automated head clamp eliminates snipe
- Fastest and easiest blade change system on the market; uses disposable double edge blades
- Quietest (83dB) planer in its class
- 4-post design and diagonal cross supports for stability
- 15 amps, 8500 RPM

Item No. 2012NB



### Makita LS1013 10" Slide Dual Compound Miter Saw



**FEATURES**

- Cuts a 2 x 12 at 90° and a 2 x 8 at compound 45° left
- Precision bevel cutting up to 45° both left and right
- Miter cuts 52° right and 47° left with 9 positive stops at 15°, 22.5°, 31.6°, 45° left or right and 0°
- 15 amps, 3700 RPM, weights 46.5 lbs.

- Item No. LS1013 Miter Saw
- Item No. LS1013F Miter Saw with Light
- Item No. LS1013L Miter Saw with Laser
- Item No. LS1013FL Miter Saw with Laser& Fluorescent Light

### Makita LS1221 12" Compound Miter Saw



**FEATURES**

- Large cutting capacity: 3/8" x 6" at 90°; 1 1/4" x 5 1/2" at 45°
- 4 1/2" tall pivoting fence for cutting up to 5 1/2" crown molding
- Horizontal D-handle design for easy and comfortable operation
- Positive stops at 9 settings; 15°, 22.5°, 31.6°, 45° right or left and 0°
- 15 amps, 4000 RPM
- Weighs 36.4 lbs.

Item No. LS1221

### Makita LS1214L 12" Dual Slide Compound Miter Saw with Built-In Laser



**FEATURES**

- Built-in laser indicates line of cut with micro fine adjustments
- Smooth easy slide system allows cross cuts up to 4 x 12 material
- 9 positive stops at 15°, 22.5°, 31.6°, 45° left or right and 0° for the most common miter cuts
- 15 amps, 3200 RPM

- Item No. LS1214L Miter Saw with Laser
- Item No. LS1214FL Miter Saw with Laser & Fluorescent Light



### Makita LXT400 4 Piece 18V Lithium Ion Kit

**KIT INCLUDES**

- 1/2" Hammer Driver-Drill features a 4-pole motor for 560 in./lbs. of torque; weighs only 4.9 lbs.
- Impact Driver is 40% more compact, 1,280 in. lbs. of torque with 0-3,200 IPM and is 3.3 lbs.
- 6 1/2" Circular Saw has a D35 high torque motor, built-in blower and is 7.1 lbs.
- 4-Position Flashlight with Xenon bulbs runs 5 hours



Item No. LXT400

### Makita LXT401 4 Piece 18V Lithium Ion Kit

**KIT INCLUDES**

- 1/2" Hammer Driver-Drill features a 4-pole motor for 560 in./lbs. of torque; weighs only 4.9 lbs.
- 6 1/2" Circular Saw has a D35 high torque motor, built-in blower and is 7.1 lbs.
- Recipro Saw with tool-less blade changes and shoe adjustments, skyhook and 8.2 lbs.
- 4-Position Flashlight with Xenon bulbs runs 5 hours



Item No. LXT401

### Makita RF1101KIT2 2 1/4 HP Industrial Router Kit

**FEATURES**

- Electronic speed control maintains constant speed under load
- Soft start feature for smooth start-ups
- Rugged aluminum motor housing with small 3/4" diameter for easy handling
- Sub-base accepts industry standard template guides for convenience
- Durable flat top design for stability when changing bits



Item No. RF1101KIT2

### Freud FT1700VCEK 2 1/4 HP Router

**FEATURES**

- Above the table micro-adjustability with accuracy to 1/28"
- Above table bit change with shaft lock and an extended shaft for safe/easy bit changes above the table
- 13 amp motor with electronic variable speed control



Item No. FT1700VCEK